



OZONE

OZONE CABINETS O3C-05/O3C-1/O3C-2



DESCRIPTION

- The O3C cabinet series are cabins designed to DEODORIZE and SANITIZE all kinds of clothes, accessories and materials by using ozone.
- Garments and accessories are sanitized in a natural way, without chemicals.

CHARACTERISTICS

- Panels in skinplate.
- OPL and COIN versions.
- Three models available.
- Door locked with double electromagnet, avoiding any opening during cycle.
- Light indicator of cycle status.
- No need of external ventilation.
- Activated carbon filters to destroy ozone, with front opening to replace them.

OPTIONS

- Extra shelves.
- Wheels instead of feet.
- Colour skinplate panels.
- Fixing base for ozone cabinet. (part) operation.

STEP1

- Filling the cabinet.
- Creating ozone inside the cabinet.

STEP2

- Ozone concentration in the compartment with the material to be disinfected.


STEP3

- Destruction of ozone inside the cabinet.
- Emptying the cabinet.


TECHNICAL DATA

OZONE CABINETS | O3C-05/O3C-1/O3C-2

	UNIT.	O3C-05	O3C-1	O3C-2
CAPACITY				
Capacity	l	313	626	1252
CONNECTIONS				
Standar Electric Tension	V	230	230	230
Standar Electric frequency	Hz	50/60	50/60	50/60
Ozone generator power	W	80	80	80
Ozone generation	g/h	10	10	10
Ozone generation fan power	W	40	40	40
Ozone destruction fan power	W	40	80	80
DIMENSIONS / PACKING DIMENSIONS				
Net width / Gross width	mm	680/740	680/740	1330/1390
Net depth / Gross depth	mm	790/850	790/850	790/850
Net Height / Gross Height	mm	1112/1257	1850/1995	1850/1995
Net weight / Gross weight	kg	96/102	126/132	169/181



MODEL	A	B	C	D	E	F	01
O3C-05 (mm)	1112	680	790	1415	725	1270	ELECTRICAL CONNECTION
O3C-1 (mm)	1850	680	790	1415	1450	1270	ELECTRICAL CONNECTION



MODEL	A	B	C	D	E	F	01
O3C-2 (mm)	1850	1330	790	1415	1450	2510	ELECTRICAL CONNECTION

01: ELECTRICAL CONNECTION