



OZONE

OZONE CABINETS O3C-05



DESCRIPTION

- The O3C cabinet series are cabins designed to DEODORIZE and SANITIZE all kinds of clothes, accessories and materials by using ozone.
- Garments and accessories are sanitized in a natural way, without chemicals.

CHARACTERISTICS

- Panels in skinplate.
- OPL and COIN versions.
- Three models available.
- Door locked with double electromagnet, avoiding any opening during cycle.
- Light indicator of cycle status.
- No need of external ventilation.
- Activated carbon filters to destroy ozone, with front opening to replace them.

OPTIONS

- Wheels kit: 2 with brake, 2 free (instead of feet).
- Several payment systems for self-service.

OPERATION

STEP1

- Filling the cabinet.
- Creating ozone inside the cabinet.

STEP2

- Ozone concentration in the compartment with the material to be disinfected.


STEP3

- Destruction of ozone inside the cabinet.
- Emptying the cabinet.

TECHNICAL DATA

OZONE CABINETS | O3C-05

	U.	O3C-05
GENERAL DATA		
Capacity	l	313
	gal	82.7
Ozone generation	g/h	10
External ventilation	-	
POWER		
Standard electrical frequency	Hz	50/60
Standard electrical voltage	V	230
Ozone generator power	W	80
Ozone generation fan power	W	40
Ozone destruction fan power	W	40
Total electrical power	W	160
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	mm	680 / 740
	inch	26.8 / 29.1
Net depth / Gross depth	mm	790 / 850
	inch	31.1 / 33.5
Net Height / Gross Height	mm	1.112 / 1.257
	inch	43.8 / 49.5
Net weight / Gross weight	Kg	96 / 121
	Lb	211.6 / 266.8



	A	B	C	D	E	F
O3C-05	1.112	680	790	1.415	725	1.270



OZONE

OZONE CABINETS O3C-1

DESCRIPTION

- The O3C cabinet series are cabins designed to DEODORIZE and SANITIZE all kinds of clothes, accessories and materials by using ozone.
- Garments and accessories are sanitized in a natural way, without chemicals.

CHARACTERISTICS

- Panels in skinplate.
- OPL and COIN versions.
- Three models available.
- Door locked with double electromagnet, avoiding any opening during cycle.
- Light indicator of cycle status.
- No need of external ventilation.
- Activated carbon filters to destroy ozone, with front opening to replace them.

OPTIONS

- Wheels kit: 2 with brake, 2 free (instead of feet).
- Several payment systems for self-service.

OPERATION

STEP1

- Filling the cabinet.
- Creating ozone inside the cabinet.

STEP2

- Ozone concentration in the compartment with the material to be disinfected.

STEP3


- Destruction of ozone inside the cabinet.
- Emptying the cabinet.



TECHNICAL DATA

OZONE CABINETS | O3C-1

	U.	O3C-1
GENERAL DATA		
Capacity	l	626
	gal	165.4
Ozone generation	g/h	10
External ventilation	-	
POWER		
Standard electrical frequency	Hz	50/60
Standard electrical voltage	V	230
Ozone generator power	W	80
Ozone generation fan power	W	40
Ozone destruction fan power	W	80
Total electrical power	W	200
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	mm	680 / 740
	inch	26.8 / 29.1
Net depth / Gross depth	mm	790 / 850
	inch	31.1 / 33.5
Net Height / Gross Height	mm	1.850 / 1.995
	inch	72.8 / 78.5
Net weight / Gross weight	Kg	126 / 153
	Lb	277.8 / 337.3



	A	B	C	D	E	F
O3C-1	1.850	680	790	1.415	1.450	1.270



OZONE

OZONE CABINETS O3C-2

DESCRIPTION

- The O3C cabinet series are cabins designed to DEODORIZE and SANITIZE all kinds of clothes, accessories and materials by using ozone.
- Garments and accessories are sanitized in a natural way, without chemicals.

CHARACTERISTICS

- Panels in skinplate.
- OPL and COIN versions.
- Three models available.
- Door locked with double electromagnet, avoiding any opening during cycle.
- Light indicator of cycle status.
- No need of external ventilation.
- Activated carbon filters to destroy ozone, with front opening to replace them.

OPTIONS

- Wheels kit: 2 with brake, 2 free (instead of feet).
- Several payment systems for self-service.

OPERATION

STEP1

- Filling the cabinet.
- Creating ozone inside the cabinet.

STEP2

- Ozone concentration in the compartment with the material to be disinfected.

STEP3


- Destruction of ozone inside the cabinet.
- Emptying the cabinet.



TECHNICAL DATA

OZONE CABINETS | O3C-2

	U.	O3C-2
GENERAL DATA		
Capacity	l	ECO3-1250
	gal	1.252
Ozone generation	g/h	330.8
External ventilation	-	10
POWER		
Standard electrical frequency	Hz	50/60
Standard electrical voltage	V	230
Ozone generator power	W	80
Ozone generation fan power	W	40
Ozone destruction fan power	W	80
Total electrical power	W	200
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	mm	1.330 / 1.356
	inch	52.4 / 53.4
Net depth / Gross depth	mm	790 / 865
	inch	31.1 / 34.1
Net Height / Gross Height	mm	1.850 / 1.995
	inch	72.8 / 78.5
Net weight / Gross weight	Kg	169 / 230
	Lb	372.6 / 507.1



	A	B	C	D	E	F
O3C-2	1.850	1.330	790	1.415	1.450	2.510